

**DEPARTMENT OF DEFENSE INDEX OF  
SPECIFICATIONS AND STANDARDS**

---

**DODISS NOTICE**

---

1 NOV 1998 / FOR PERIOD 15 OCT 1998 TO 31 OCT 1998 / VOL. 20/ NO. 98

This Notice provides important information about all new, revised, amended, and cancelled standardization documents indexed by the Defense Automated Printing Service, 700 Robbins Avenue, Bldg. 4/D, Philadelphia, PA 19111-5094 for the period indicated below. DOD documents will not be available for 45 days and non-Government Standards for 60 days after the date of this Notice. Activity codes and symbols are defined in the general provisions of the DODISS, and also in the DOD Standardization Directory SD-1. Additional paper copies of this Notice are not available, however local reproduction is encouraged.

A digital version of this document in portable document format (PDF) is available at the DODSSP website on the DODISS Notice page:  
<http://www.dodssp.daps.mil/dodiss.htm>

Doc Action	Document Number	Document Title	Distribution FSC/NSA	Prep MCA	Acty. Prep	Date
M	MIL-DTL-62420B	PERISCOPE, TANK [CUST: AT]	A 1240	AT		04-SEP-98
M	MIL-DTL-62478B	COUPLER, OPTICAL [CUST: AT]	A 1240	AT		09-SEP-98
N	SAE-AS18012	MARKINGS FOR AIRCREW STATION DISPLAYS DESIGN AND CONFIGURATION OF [CUST: AV AS 11]	A 15GP	AS		AUG-98
N	SAE-AS8775	HYDRAULIC SYSTEM COMPONENTS, AIRCRAFT AND MISSILES. GENERAL SPECIFICATION FOR [CUST: AV AS 99]	A 1650	AS		JUL-98
M	MIL-HDBK-1547A	ELECTRONIC PARTS, MATERIALS, AND PROCESSES FOR SPACE AND LAUNCH VEHICLES [CUST: MI AS 19] [REVIEW: 33 99 CG NA US]	A 1820	19		06-JUL-98
M	FED-STD-122AN	AUTOMOBILES: SEDANS AND STATION WAGONS GASOLINE AND ALTERNATIVE FUEL POWERED [CUST: FSS] [REVIEW: 84 99 AT CE MC YD2]	A 2310	% FSS		01-JUL-98
M	FED-STD-307AB	TRUCKS, LIGHT COMMERCIAL, TWO AND FOUR WHEEL DRIVEN, 4X2 AND 4X4, 1,800 TO 8,600 KG (4,000 TO 19,000 LBS) GVW [CUST: FSS] [REVIEW: 84 99 AT MC YD2]	A 2320	% FSS		01-JUL-98
M	FED-STD-794Q	TRUCKS AND TRUCK TRACTORS: MEDIUM COMMERCIAL 4X2 AND 4X4, 8,600 TO 16,000 KG (19,000 TO 35,000 LBS) GVW [CUST: FSS] [REVIEW: 84 99 AT MC YD2]	A 2320	% FSS		01-JUL-98
M	MIL-DTL-13714F	TRAILER, UTILITY, CABLE REEL, 3.5 TON, M310 [CUST: AT YD2 99] [REVIEW: CE CR]	A 2330	AT		28-AUG-98
M	MIL-DTL-45322H	DOLLY, TRAILER CONVERTORS, M197A1, M198A1, AND M354 [CUST: AT MC]	A 2330	AT		04-SEP-98
M	MIL-DTL-46714E	SEMITRAILER VAN: ELECTRONIC, TACTICAL, 6-TON, 2-WHEEL, M373A2 [CUST: AT]	A 2330	AT		11-SEP-98
M	MIL-DTL-62027K	DOLLY SETS, LIFT, TRANSPORTABLE SHELTER: 2.72-METRIC TON TO 4.76-METRIC TON [CUST: AT YD2]	A 2330	AT		04-SEP-98
M	MIL-DTL-62049F	SEMITRAILER, VAN: FOR INSTALLATION OF SPECIAL EQUIPMENT, MILITARY DESIGN [CUST: AT 99] [REVIEW: 84]	A 2330	AT		11-SEP-98
M	MIL-DTL-62164D	SEMITRAILER, LOWBED, HEAVY EQUIPMENT TRANSPORTER, 60-TON, M747 [CUST: AT]	A 2330	AT		25-SEP-98
M	MIL-DTL-62180E	SEMITRAILER, FUEL TANKERS: 5000 GALLON, BULKHAUL, AUTOMOTIVE AND AIRCRAFT FUEL SERVICING [CUST: AT]	A 2330	AT		11-SEP-98
M	FED-STD-807E	TRUCKS AND TRUCK TRACTORS: HEAVY COMMERCIAL 6X4 AND 6X6, 19,500 TO 30,000 KG (43,000 TO 66,000 LBS) GVW [CUST: FSS] [REVIEW: 84 99 AT MC YD2]	A 2330	% FSS		01-JUL-98
M	MIL-DTL-62267B	CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M60A1 [CUST: AT]	A 2350	AT		04-SEP-98
M	MIL-DTL-62270B	CHASSIS, TANK: ARMORED VEHICLE, BRIDGE LAUNCHER, M48A5 [CUST: AT]	A 2350	AT		21-AUG-98
M	MIL-DTL-11603G	TRANSMISSION, CROSS-DRIVE, CD850 SERIES [CUST: AT]	A 2520	AT		04-SEP-98
M	MIL-DTL-62099D	TRANSMISSION, HYDRAULIC: MODIFIED AUTOMATIC TX-100-1 [CUST: AT]	A 2520	AT		11-SEP-98
M	MIL-DTL-62567C	TORSION BAR, SUSPENSION [CUST: AT]	A 2530	AT		16-SEP-98
M	MIL-DTL-46735C	WINCH DRUM: VEHICLE MOUNTING [CUST: AT]	A 2590	AT		31-AUG-98
M	MIL-DTL-62069F	CONTROL, DIRECTIONAL SIGNAL LIGHT, AUTOMOTIVE: 24 VOLT DC, SOLID STATE [CUST: AT]	A 2590	AT		31-AUG-98
M	MIL-PRF-32002B	COVER MATERIAL, VEHICLE, COATED TACTICAL AND COMBAT, HEAVY-DUTY, WATERPROOF [CUST: AT YD2 99] [REVIEW: 84 CC]	A 25GP	AT		18-SEP-98
M	MIL-DTL-3100G	WHEEL ASSEMBLIES, SOLID ELASTOMER TIRED; FOR TRACK LAYING VEHICLES [CUST: AT MC]	A 2630	AT		30-SEP-98
M	MIL-DTL-62177E	ENGINE, DIESEL: 12-CYLINDER, 90 DEG. V-TYPE, 750 H.P. AVDS1790-2, AVDS1790-2A, AVDS1790-2C, AVDS1790-2D, AVDS1790-2DR, AVDS1790-2CA, AND AVDS1790-2DA [CUST: AT] [REVIEW: CC]	A 2815	AT		17-SEP-98
M	MIL-DTL-62462D	ENGINE, DIESEL, LIQUID-COOLED, 8 CYLINDER, 4 CYCLE, V-TYPE, 220 KW (295 HP) [CUST: AT]	A 2815	AT		30-SEP-98
M	MIL-DTL-62483A	ENGINE, DIESEL, 6 CYLINDER, IN-LINE, LIQUID COOLED, 210 HP [CUST: AT]	A 2815	AT		25-SEP-98
M	MIL-DTL-62062D	BLOWER, GENERATOR COOLING: 28 VOLT DC [CUST: AT] [REVIEW: CC]	A 2920	AT		04-SEP-98
N	A-A-59294	STARTERS, ENGINE, ELECTRICAL: 24-VOLT DIRECT-CURRENT [CUST: AT] [REVIEW: CC CR4]	A 2920	AT		24-SEP-98
M	MIL-B-1083D SUP 1 NOT 2	BALLS, BEARING, FERROUS AND NON-FERROUS (FOR USE IN BEARINGS, VALVES AND BEARING APPLICATIONS) GENERAL SPECIFICATION FOR [CUST: AT OS 99 GS] [REVIEW: AR EA IS MI SH]	A 3110	GS		28-SEP-98
N	NAM913	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS (METRIC) GENERAL SPECIFICATION FOR [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-1	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-2	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-3	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-4	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-5	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-6	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-7	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-8	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CORROSION-RESISTANT STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-9	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-10	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-11	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-12	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-13	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98
N	NAM913-14	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM-ALLOY STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110	AS		15-SEP-98

Label	Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep Acty.	Date
N		NAM913-15	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NAM913-16	BEARING, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P (METRIC) [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-2	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CHROMIUM ALLOY STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-3	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-4	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, UNFLANGED, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-5	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, DEEP GROOVE, FLANGED, CHROMIUM ALLOY STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-18	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CHROMIUM ALLOY STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-19	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-20	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT UNFLANGED, NON-SEPARABLE AND COUNTERBORED OUTER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-21	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NONSEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM ALLOY STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-22	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NONSEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CHROMIUM ALLOY STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-23	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NONSEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-24	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, NONSEPARABLE AND COUNTERBORED OUTER RING ON FLANGE SIDE, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-25	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM ALLOY STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-26	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM ALLOY STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-27	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANNULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-28	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
M		NASM81793-29	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS, AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CHROMIUM ALLOY STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-30	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS, AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED SEPARABLE AND STEPPED INNER RING, CHROMIUM ALLOY STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-31	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS, AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-32	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS, AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, FLANGED, SEPARABLE AND STEPPED INNER RING, CORROSION RESISTING STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-33	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM ALLOY STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-34	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CHROMIUM ALLOY STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-35	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 5P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		NASM81793-36	BEARINGS, BALL, ANNULAR, FOR INSTRUMENTS AND PRECISION ROTATING COMPONENTS, ANGULAR CONTACT, UNFLANGED, NON-SEPARABLE AND STEPPED INNER RING, CORROSION RESISTANT STEEL, ABEC 7P [CUST: AT AS 99 GS] [REVIEW: 84 MC SH]	A 3110		AS	15-SEP-98
N		SAE-AS21154	BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING [CUST: AV AS 99 GS] [REVIEW: 84 AR SH]	A 3120		AS	MAY-98
N		A-A-59307	SOLDERING GUNS, ELECTRIC [CUST: AL SH 99]	A 3439	/	GS	09-OCT-98
N		A-A-59315/44	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS MAGNESIUM ZIRCONATE PLUS NICKEL CHROMIUM ALLOY, TYPE III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH]	A 3439	/	AS	04-SEP-98
N		A-A-59315/45	POWDER MATERIALS FOR FLAME AND PLASMA SPRAYED COATINGS COMPOSITE BLEND, TYPE III [CUST: MR AS 11 GS] [REVIEW: 71 99 SH]	A 3439	/	AS	04-SEP-98
N		SAE-AMS-B-20148	BRAZING SHEET, ALUMINUM ALLOY [CUST: MR AS 11] [REVIEW: AR AV CR4 EA]	A 3439		AS	JUL-98
M		MIL-T-52843C(1) NOT 2	TRUCKS, LIFT, FORK, DIESEL-ENGINE-DRIVEN, PNEUMATIC TIRED, ROUGH TERRAIN, 10,000 POUND CAPACITY AT 48-INCH LOAD CENTER [CUST: AT]	A 3930		AT	11-SEP-98
M		MIL-T-52930B NOT 2	TRUCK, LIFT, FORK, ELECTRIC, FRONT/ SIDE LOADING, SIT-DOWN, 4000/3000-POUND CAPACITY [CUST: AT]	A 3930		AT	11-SEP-98
N		A-A-59326	COUPLING HALVES, QUICK-DISCONNECT, CAM-LOCKING TYPE [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N		A-A-59326-1	COUPLING HALF, MALE BY INTERNAL PIPE THREAD, TYPE I [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N		A-A-59326-2	COUPLING HALF, MALE BY HOSE SHANK, TYPE II [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N		A-A-59326-3	COUPLING HALF, MALE BY EXTERNAL PIPE THREAD, TYPE III [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N		A-A-59326-4	COUPLING HALF, MALE BY FLANGE, TYPE IV (TTMA) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N		A-A-59326-5	COUPLING HALF, FEMALE BY INTERNAL PIPE THREAD, TYPE V [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N		A-A-59326-6	COUPLING HALF, FEMALE BY HOSE SHANK, TYPE VI [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98

Doc Action	Document Number	Document Title	Distribution FSC/Area	NA	Prep. Acty.	Date
N	A-A-59326/7	COUPLING HALF, FEMALE BY EXTERNAL PIPE THREAD, TYPE VII [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/8	COUPLING HALF, FEMALE BY FLANGE, TYPE VIII (TTMA) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/9	COUPLING HALF, FEMALE BY FLANGE, HEXAGON, TYPE VIIIA, (FOR D-1 NOZZLE) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/10	COUPLING HALF, CAP, DUST, TYPE IX [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/11	COUPLING HALF, PLUG, DUST, TYPE X [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/12	REDUCER, MALE BY FEMALE AND FEMALE BY MALE, TYPE XI [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/13	REDUCER, MALE BY EXTERNAL PIPE THREAD, TYPE XII [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/14	REDUCER, EXTERNAL PIPE THREAD BY FEMALE, TYPE XIII [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/15	ADAPTER, 45 DEG., FEMALE THREAD SWIVEL COLLAR BY MALE (TANK CAR), TYPE XV [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/16	COUPLING HALF, FEMALE BY EXTERNAL STRAIGHT THREADS, TYPE XVI (FOR USE WITH NATO EQUIPMENT) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/17	COUPLING HALF, MALE BY INTERNAL STRAIGHT THREADS, TYPE XVII (FOR USE WITH NATO EQUIPMENT) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/18	COUPLING HALF, FEMALE REDUCER BY INTERNAL PIPE THREAD, TYPE XVIII [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/19	COUPLING HALF, NIPPLE ADAPTER, MALE BY EXTERNAL GROOVED PIPE, TYPE XIX [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/20	Y CONNECTION, FLANGED, TYPE XX [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
N	A-A-59326/21	ADAPTER, MALE BY MALE, CAM LOCKING TYPE, TYPE XXI [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	/	AT	25-SEP-98
M	QPL-27272-8	FITTING, TETRAFLUOROETHYLENE HOSE, HIGH TEMPERATURE, MEDIUM PRESSURE, GENERAL REQUIREMENTS FOR	A 4730	/	CC	21-SEP-98
N	SAE-AS21922	SLEEVE, COUPLING, FLARELESS [CUST: AV AS 99]	A 4730	/	AS	AUG-98
N	SAE-AS21923	ADAPTER, FLARELESS TUBE, BULKHEAD AND UNIVERSAL TO FLARED TUBE [CUST: AV AS 99]	A 4730	/	AS	AUG-98
N	SAE-AS21924	UNION, FLARELESS TUBE, BULKHEAD AND UNIVERSAL [CUST: AV AS 99]	A 4730	/	AS	AUG-98
N	SAE-AS21925	ELBOW 90 DEG. UNIVERSAL, FLARELESS TUBE, HIGH PROFILE [CUST: AV AS 99]	A 4730	/	AS	JUL-98
N	SAE-AS21937	NUT, CLUSTER FITTING, RETAINER [CUST: AV AS 99]	A 4730	/	AS	AUG-98
N	SAE-AS21942	BODY, CLUSTER FITTING, ONE WAY, FLARELESS [CUST: AV AS 99]	A 4730	/	AS	AUG-98
M	MIL-PRF-81836/1B	FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, TYPE A, MECHANICAL INDICATOR [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-PRF-81836/2B	FILTER, FLUID, PRESSURE, HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE, TYPE B, ELECTRICAL INDICATOR [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-PRF-81836/4B	FILTER ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 5000 PSI, 3 MICRON ABSOLUTE [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-PRF-81836/5B	FILTER ELEMENT, ADAPTER [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-PRF-81836/6A	FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, TYPE A, MECHANICAL INDICATOR [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-PRF-81836/7A	FILTER, FLUID, PRESSURE, HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE, TYPE B, ELECTRICAL INDICATOR [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-PRF-81836/9A	FILTER, ELEMENT, DISPOSABLE, FLUID, PRESSURE HYDRAULIC, 8000 PSI, 3 MICRON ABSOLUTE [CUST: AS CC] [REVIEW: MC SA SH]	A 4920	/	AS	01-OCT-98
M	MIL-DTL-45859D	POP-VALVE-TEST BENCH ASSEMBLY [CUST: AT 99] [REVIEW: 82 CC]	A 4940	/	AT	31-AUG-98
N	NASM15981	FASTENERS, EXTERNALLY THREADED, SELF-LOCKING DESIGN AND USAGE LIMITATIONS FOR [CUST: MI AS 99] [REVIEW: 82 IS]	A 5305	/	AS	AUG-98
M	MS17830E	NUT, SELF-LOCKING, HEXAGON-REGULAR, 250 DEG. F. AND 450 DEG. F. (NON-METALLIC INSERT), 300 SERIES CORROSION RESISTANT STEEL [CUST: AV AS 99] [REVIEW: 11 82 CR4 MI SH]	A 5310	/	IS	22-SEP-98
M	MIL-DTL-27426/1A	RINGS, RETAINING, SPIRAL (UNIFORM CROSS SECTION) MEDIUM DUTY EXTERNAL [CUST: AR OS 99] [REVIEW: 11 82 AV MI]	A 5325	/	IS	22-SEP-98
N	SAE-AS9230	BRACKET, ANGLE, 90 DEGREE, 190 X .312 BOLT [CUST: AR AS 82]	A 5340	/	AS	AUG-98
N	NASM21132	WRENCHING ELEMENT, EXTERNAL HEXAGON FOR THREADED FASTENERS [CUST: AV AS 11] [REVIEW: 82 AR AT CR4 IS MI OS SH]	A 53GP	/	AS	30-JUN-98
N	NASM33781	RECESS-OFFSET CRUCIFORM, DIMENSIONS OF RECESS, AND DRIVER FOR [CUST: AV AS 11] [REVIEW: 99 IS]	A 53GP	/	AS	30-JUN-98
M	DOD-I-24688(1)	INSULATION PANEL, THERMAL AND ACOUSTIC ABSORPTIVE, OPEN-CELL POLYIMIDE FOAM [CUST: CR4 SH 99] [REVIEW: 84 CE YD2]	A 5640	/	SH	24-SEP-98
M	MIL-C-5E(4) SUP 1A NOT 1	CAPACITORS, FIXED, MICA DIELECTRIC, GENERAL SPECIFICATION FOR [CUST: CR EC 85 CC] [REVIEW: 17 19 99 AS CG CR4 MC OS]	A 5910	/	CC	21-SEP-98
M	MIL-PRF-24308/5J	CONNECTORS, ELECTRIC, RECTANGULAR, MINIATURE, POLARIZED SHELL, RACK AND PANEL, RECEPTACLE, SOCKET CONTACTS, NONMAGNETIC, CLASS M AND N, SOLDER TYPE [CUST: CR EC 85 CC NA] [REVIEW: 99 AS AT AV CG CR4 MC MI SH]	A 5935	/	CC	28-SEP-98
M	MIL-PRF-83513/3F(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, PIN CONTACTS, CLASS M, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A 5935	/	CC	28-SEP-98
M	MIL-PRF-83513/4F(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, SOCKET CONTACTS, CLASS M, CRIMP TYPE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A 5935	/	CC	28-SEP-98
M	MIL-PRF-83513/5F(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, MOUNTING HARDWARE [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A 5935	/	CC	28-SEP-98
M	MIL-PRF-83513/12B(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, PLUG, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, PIN CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A 5935	/	CC	28-SEP-98
M	MIL-PRF-83513/15B(1)	CONNECTORS, ELECTRICAL, RECTANGULAR, RECEPTACLE, MICROMINIATURE, POLARIZED SHELL, STRAIGHT, SOCKET CONTACTS, 4 ROW, SOLDER TYPE, NARROW PROFILE, 100 CONTACTS, PRINTED CIRCUIT BOARD [CUST: CR EC 85 CC NA] [REVIEW: 17 99 AS AT CG MC MI SH]	A 5935	/	CC	28-SEP-98
M	MIL-C-55302/27H(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 30 THRU 140 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 SQ. GRID) [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	/	CC	28-SEP-98
M	MIL-C-55302/58H(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56, 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	/	CC	28-SEP-98

Doc Action	Document Number	Document Title	Distribution FSC/Asa	MCA	Prep. Acty.	Date
M	MIL-C-55302/62G(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	CC		28-SEP-98
M	MIL-C-55302/64G(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, DECADE INCREMENTS 10 THRU 70 CONTACT POSITIONS AND INTERMEDIATE POSITIONS OF 14, 24, 44, 54 AND 26, 36, 56 AND 66 FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	CC		28-SEP-98
M	MIL-C-55302/130C(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLES, 90 THROUGH 240 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS (.100 INCH SPACING) [CUST: EC CC]	A 5935	CC		28-SEP-98
M	MIL-C-55302/159C(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, 17, 29, 33, 41, 53, AND 65 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A 5935	CC		28-SEP-98
M	MIL-C-55302/160C(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE 72, 84, 96, AND 120 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A 5935	CC		28-SEP-98
M	MIL-C-55302/164C(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG AND/OR RECEPTACLE, 160 CONTACT POSITIONS, FOR PRINTED WIRING BOARDS, 2.54 MM X 1.27 MM OFFSET GRID, METRIC [CUST: CR CC] [REVIEW: AR AT AV CR4 MI]	A 5935	CC		28-SEP-98
M	MIL-C-55302/190(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	CC		29-NOV-98
M	MIL-C-55302/191(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 100 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	CC		28-SEP-98
M	MIL-C-55302/192(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, RECEPTACLE, SOCKET CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	CC		28-SEP-98
M	MIL-C-55302/193(1)	CONNECTORS, PRINTED CIRCUIT SUBASSEMBLY AND ACCESSORIES, PLUG, PIN CONTACTS, 122 AND 152 POSITION PRINTED WIRING BOARDS (.075 INCH SPACING) [CUST: CR EC 17 CC] [REVIEW: 19 80 85 99 AR AS AT AV CR4 MC MI OS SH]	A 5935	CC		28-SEP-98
M	QPL-5015-39(1)	CONNECTORS, ELECTRICAL, CIRCULAR THREADED, AN TYPE, GENERAL SPECIFICATION FOR	A 5935	AS		16-SEP-98
M	QPL-28859-10	CONNECTOR COMPONENT PARTS, ELECTRICAL BACKPLANE, PRINTED WIRING, GENERAL SPECIFICATION FOR	A 5935	AS		24-AUG-98
M	QPL-83723-52	CONNECTORS, ELECTRICAL, (CIRCULAR, ENVIRONMENT RESISTING), RECEPTACLES AND PLUGS, GENERAL SPECIFICATION FOR	A 5935	CC		18-SEP-98
M	QPL-85049-17	CONNECTOR ACCESSORIES, ELECTRICAL, GENERAL SPECIFICATION FOR	A 5935	AS		16-APR-98
N	SAE-AS81703	CONNECTORS, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING [CUST: AS]	A 5935	AS		JUL-98
M	QPL-81714-10(1)	TERMINAL JUNCTION SYSTEM (TJS), ENVIRONMENT RESISTANT, GENERAL SPECIFICATION FOR	A 5940	AS		17-SEP-98
N	SAE-AS81824/1	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1 [CUST: CR AS 85]	A 5940	AS		JUL-98
M	MIL-R-83536/1(2)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COILS [CUST: CR EC 85] [REVIEW: 99]	A 5945	85		21-AUG-98
M	MIL-R-83536/2(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, DPDT, LOW LEVEL TO 5 AMPERES, PERMANENT MAGNET DRIVE, HERMETICALLY SEALED, ALL WELDED, TRANSIENT SUPPRESSED DC COILS [CUST: CR EC 85] [REVIEW: 99]	A 5945	85		21-AUG-98
M	MIL-R-83536/15(3)	RELAYS, ELECTROMAGNETIC, ESTABLISHED RELIABILITY, 4PDT, LOW LEVEL TO 10 AMPERES, PERMANENT MAGNETIC DRIVE, HERMETICALLY SEALED, ALL WELDED, DC COIL [CUST: CR EC 85] [REVIEW: 99]	A 5945	85		14-AUG-98
M	QPL-10-112	INSULATING COMPOUND, ELECTRICAL, CERAMIC, CLASS L, GENERAL SPECIFICATION FOR	A 5970	CC		18-SEP-98
M	QML-28870-9	ASSEMBLIES, ELECTRICAL BACKPLANE, PRINTED-WIRING, GENERAL SPECIFICATION FOR	A 5998	AS		24-AUG-98
N	SAE-AS81531	MARKING OF ELECTRICAL INSULATING MATERIALS [CUST: AS]	A 6145	AS		JUL-98
N	SAE-AS81822	WIRE, ELECTRICAL, SOLDERLESS WRAP, INSULATED AND UNINSULATED [CUST: CR AS 85]	A 6145	AS		JUL-98
N	SAE-AS81822/1 NOT 1	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE-POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85]	A 6145	AS		JUL-98
N	SAE-AS81822/3	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYLIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85]	A 6145	AS		JUL-98
N	SAE-AS81822/5	WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR [CUST: CR AS 85]	A 6145	AS		JUL-98
M	UL83-98	WIRES AND CABLES, THERMOPLASTIC-INSULATED [CUST: CR YD2 85] [REVIEW: 99 CR4 15]	A 6145	YD2		29-SEP-98
M	MIL-DTL-44258B	ELECTRICAL DISTRIBUTION ASSEMBLIES FOR TENT, EXTENDABLE, MODULAR, PERSONNEL (TEMPER) [CUST: GL 99] [REVIEW: 82]	A 6150	GS		19-JUN-98
N	A-A-59349	REFLECTORS, LIGHT, WITH HOLDER [CUST: MC]	A 6210	/ GS		09-OCT-98
M	MIL-DTL-13455E	FILTER, LIGHT (FOR BLACKOUT SECURE) [CUST: AT] [REVIEW: CR4 EA GS MI]	A 6220	AT		28-AUG-98
M	MIL-PRF-51028C	SAMPLING AND GAGING KIT [CUST: AT MS] [REVIEW: DM EA MB MC]	A 6630	AT		18-AUG-98
M	O-M-232C	METHANOL (METHYL ALCOHOL) [CUST: EA OS 68] [REVIEW: AR AS GL MDI MI]	A 6810	/ GS		14-OCT-98
N	SAE-AMS-M-7866	MOLYBDENUM DISULFIDE, TECHNICAL, LUBRICATION GRADE [CUST: AR AS 68] [REVIEW: CR4 EA GS MI]	A 6810	AS		JUL-98
M	MIL-DTL-12468D	DECONTAMINATING AGENT, STB [CUST: EA 68 GS] [REVIEW: MDI]	A 6850	GS		12-AUG-98
M	A-A-417C	RIBBONS, TYPEWRITER	A 7510	# FSS		08-JUL-98
M	A-A-419A	RIBBON, TELETYPEWRITER	A 7510	# FSS		08-JUL-98
N	SAE-AMS-T-21595	TAPES, PRESSURE-SENSITIVE ADHESIVE, MASKING, NON-STAINING - FOR AIRCRAFT PAINTING APPLICATIONS [CUST: MR AS 99] [REVIEW: AR EA MC]	A 7510	AS		SEP-98
N	A-A-59318	POLISH, METAL, ALUMINUM [CUST: GL AS 11] [REVIEW: 84 AV MD]	A 7930	/ AS		08-SEP-98
M	QPL-TT-P-664-21	PRIMER COATING, ALKYD, CORROSION-INHIBITING LEAD AND CHROMATE FREE, VOC-COMPLIANT	A 8010	/ FSS		05-MAY-98
N	SAE-AMS-P-21600	PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION [CUST: AV AS] [REVIEW: DS MI]	A 8010	AS		JUL-98
N	SAE-AMS-T-23397	TAPES, PRESSURE SENSITIVE ADHESIVE, FOR MASKING DURING PAINT STRIPPING OPERATIONS [CUST: MR AS 99] [REVIEW: GL]	A 8010	AS		JUL-98
N	A-A-59295	CORROSION PREVENTIVE COMPOUNDS, COLD APPLICATION (FOR NEW AND FIELDLED MOTOR VEHICLES AND TRAILERS) [CUST: AT YD2 99] [REVIEW: 84 AR CR4 MR]	A 8030	/ AT		09-SEP-98
M	MIL-PRF-29597A	BAG, ODOR BARRIER, FLEXIBLE (FOR FOOD CONTAMINATED PLASTIC WASTE) [CUST: AS] [REVIEW: SA]	A 8105	AS		28-SEP-98
M	MIL-STD-1411(1) NOT 2	INSPECTION AND MAINTENANCE OF COMPRESSED GAS CYLINDERS [CUST: CE SH 68] [REVIEW: EA]	A 8120	GS		24-AUG-98
M	A-A-59209	PAPERBOARD, AMMUNITION CONTAINER [CUST: AR OS] [REVIEW: EA]	A 8140	# AR		15-APR-98
M	MIL-DTL-3943/2F	DECORATION, MEDAL OF HONOR, NAVY [CUST: IH NU] [REVIEW: CT MCI]	A 8455	IH		16-SEP-98
M	MIL-DTL-3943/155B	DECORATION, CRISIS RESPONSE SERVICE AWARD, U.S. PUBLIC HEALTH SERVICE [CUST: IH] [REVIEW: CT]	A 8455	IH		16-SEP-98

Doc Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty	Date
M	MIL-DTL-11484/15E	LAPEL BUTTON, COAST GUARD MEDAL [CUST: IH CG] [REVIEW: CT]	A 8455	IH		16-SEP-98
M	MIL-DTL-11589/32F	RIBBON, COAST GUARD MEDAL [CUST: IH CG] [REVIEW: CT]	A 8455	IH		16-SEP-98
M	MIL-DTL-14639/1G	INSIGNIA, GRADE, PRIVATE (E-2), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/2G	INSIGNIA, GRADE, PRIVATE FIRST CLASS (E-3), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/3G	INSIGNIA, GRADE, CORPORAL (E-4), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/4G	INSIGNIA, GRADE, SERGEANT (E-5), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/5G	INSIGNIA, GRADE, STAFF SERGEANT (E-6), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/6G	INSIGNIA, GRADE, PLATOON SERGEANT (E-7) OR SERGEANT FIRST CLASS (E-7), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/7G	INSIGNIA, GRADE, MASTER SERGEANT (E-8), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/8G	INSIGNIA, GRADE, FIRST SERGEANT (E-8), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/9G	INSIGNIA, GRADE, SERGEANT MAJOR (E-9), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/10H	INSIGNIA, GRADE, COMMAND SERGEANT MAJOR (E-9), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/11G	INSIGNIA, GRADE, SPECIALIST 4 (SP-4), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
M	MIL-DTL-14639/28E	INSIGNIA, GRADE, SERGEANT MAJOR OF THE ARMY (E-9), ARMY [CUST: IH] [REVIEW: CT]	A 8455	IH		01-OCT-98
N	A-A-20301	CEREAL TREATS, MARSHMALLOW [CUST: GL SA 35] [REVIEW: MC MD QM]	A 8920	SS		22-SEP-98
M	MIL-DTL-38219D	TURBINE FUEL, LOW VOLATILITY, JP-7 [CUST: 11] [REVIEW: 68 PS]	A 9130	11		21-AUG-98
M	MIL-PRF-10924G	GREASE, AUTOMOTIVE AND ARTILLERY [CUST: AT YD2 68] [REVIEW: 11 AR AS EA GS MI PS SA SM]	A 9150	AT		24-SEP-98
M	MIL-PRF-21260E	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, PRESERVATIVE BREAK-IN [CUST: AT SH 68] [REVIEW: 11 99 AR AS GS MC MI OS SA SM YD2]	A 9150	AT		31-JUL-98
M	MIL-PRF-46167C	LUBRICATING OIL, INTERNAL COMBUSTION ENGINE, ARCTIC [CUST: AT SH 68] [REVIEW: 11 99 AR AS GS MC MI OS PS SA SM YD2]	A 9150	AT		31-JUL-98
M	MIL-PRF-53074A	LUBRICATING OIL, STEAM-CYLINDER, MINERAL [CUST: AT YD2] [REVIEW: AS MC OS SA]	A 9150	AT		14-SEP-98
M	MIL-PRF-81329D	LUBRICANT, SOLID FILM, EXTREME ENVIRONMENT, NATO CODE NUMBER S-1737 [CUST: AV AS 11] [REVIEW: 68 AT GS OS]	A 9150	AS		18-SEP-98
M	DOD-G-24508A(4)	GREASE, HIGH PERFORMANCE, MULTI-PURPOSE (MERTIC) [CUST: SH] [REVIEW: AS]	A 9150	SH		23-SEP-98
M	MIL-PRF-5425E	PLASTIC, SHEET, ACRYLIC, HEAT RESISTANT [CUST: MR AS 11] [REVIEW: AV DS EA GS OS SH]	A 9330	AS		05-OCT-98
M	MIL-PRF-8184F	PLASTIC SHEET, ACRYLIC, MODIFIED [CUST: CR AS 11] [REVIEW: AV EC GS MC MR SH]	A 9330	AS		05-OCT-98
N	ASTM-PS93	FABRICATED SHAPES AND FINISHED PARTS FABRICATED FROM POLYIMIDE RESINS [CUST: MR AS]	A 9330	MR		26-JUN-98
M	MIL-DTL-46193A	ARMOR PLATE, CONTROL ROLLED, STEEL, WROUGHT, HIGH STRENGTH, HIGH QUALITY [CUST: MR] [REVIEW: IS MJ]	A 9515	MR		09-OCT-98
M	MIL-DTL-46083D	ALUMINUM ALLOY ARMOR, EXTRUDED, WELDABLE [CUST: MR] [REVIEW: AR AT TE]	A FORG	MR		30-SEP-98
N	MIL-HDBK-2222	AVIONIC SYSTEMS, HANDBOOK FOR INTERFACE CONTROL DOCUMENTATION [CUST: AS]	A GDRQ	AS		29-SEP-97
N	SAE-ASS0881	WIRING, AEROSPACE VEHICLE [CUST: CR AS 85]	A GDRQ	AS		APR-98
N	SAE-AMS-T-81915	TITANIUM AND TITANIUM-ALLOY CASTINGS, INVESTMENT [CUST: MR AS 11] [REVIEW: 99 AR AV CR4]	A MECA	AS		JUL-98
N	SAE-AMS-C-81562	COATINGS, CADMIUM, TIN-CADMIUM AND ZINC (MECHANICALLY DEPOSITED) [CUST: MR AS 11] [REVIEW: 70 71 80 82 84 99 AR AT AV CR4 MD MI OS SH]	A MFFP	AS		AUG-98
M	MIL-STD-188/164(1)	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR C-BAND, X-BAND, AND KU-BAND SHF SATELLITE COMMUNICATIONS EARTH TERMINALS [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 29 33 93 AM CG CR DH DI DO IR MC MP NC NS OM PT SE TD]	C TCSS	DC1		09-SEP-98
M	MIL-STD-188/165(1)	INTEROPERABILITY AND PERFORMANCE STANDARDS FOR SHF SATELLITE COMMUNICATIONS PSK MODEMS (FDMA OPERATION) [CUST: CR EC 90 DC1] [REVIEW: 02 11 13 17 29 33 93 AC AM CG CR DH DI DO IR MC MP NC NS OM PT SE TD]	C TCSS	DC1		09-SEP-98
M	MIL-STD-188/183A(1)	INTEROPERABILITY STANDARD FOR 25-KHZ TDMA/DAMA TERMINAL WAVEFORM (INCLUDING 5- AND 25-KHZ SLAVE CHANNELS) [CUST: CR EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 AC CG DH IE IR MC MP NC NS OM PT TD]	C TCSS	DC1		09-SEP-98
M	MIL-STD-188/184(1)	INTEROPERABILITY AND PERFORMANCE STANDARD FOR THE DATA CONTROL WAVEFORM [CUST: CR EC 90 DC1] [REVIEW: 02 11 13 17 19 89 90 93 AC AM CR DH MC MI MP NC NS OM PT TD]	C TCSS	DC1		09-SEP-98
M	MIL-STD-188/185(2)	INTEROPERABILITY UHF MILSATCOM DAMA CONTROL SYSTEM [CUST: AC EC 90 DC1] [REVIEW: 02 13 17 21 29 33 93 CG CR DC4 DH DI IR JS MC MP NC NS OM OST PT SE TD US]	C TCSS	DC1		09-SEP-98

Last Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
M	MIL-M-63221A(1) NOT 1	MORTAR, 60MM: M224 (WITHOUT M64 SIGHT UNIT) [CUST: AR 99] [REVIEW: 84 CC]	A 1010	AR		28-SEP-98
M	MIL-F-45429C(2) NOT 1	FUZE, MINE, AT: M607 LOADING, ASSEMBLING AND PACKING [CUST: AR]	A 1345	AR		27-MAR-98
M	MIL-F-45430C(4) NOT 1	FUZE, MINE, AT: M607, PARTS FOR [CUST: AR]	A 1345	AR		27-MAR-98
M	MIL-M-46696D(5) NOT 4	MINE, ANTIPERSONNEL, M16A1, LOADING, ASSEMBLING AND PACKING [CUST: AR]	A 1345	AR		27-MAR-98
M	ZZ-T-391E NOT 1	TIRE, SOLID RUBBER, AND WHEELS, SOLID RUBBER TIRE, (INDUSTRIAL) [CUST: AT YD2 99] [REVIEW: CC MC MD]	A 2630	AT		25-SEP-98
M	MS39238A NOT 1	CUTTING EDGE, SCRAPER BOWL, EARTH MOVING, 18 CUBIC YARD [CUST: AT YD2 99] [REVIEW: CC]	A 3805	AT		30-SEP-98
M	MIL-T-17760G NOT 3	TRUCKS, PALLET, POWERED, ELECTRIC, NON-TIERING, INDUSTRIAL, WALKIE, WALKIE-RIDER, HAND GUIDED [CUST: AT SA 99] [REVIEW: DP]	A 3930	AT		18-SEP-98
M	MIL-T-53019(1) NOT 3	TRUCK, FORKLIFT, ELECTRIC, FRONT/SIDE LOADING 6000/6000 POUND CAPACITY TYPE E COMMERCIAL [CUST: AT]	A 3930	AT		18-SEP-98
M	MIL-T-53038(1) NOT 3	TRUCK, LIFT, FORK, VARIABLE REACH, DIESEL ENGINE DRIVEN, PNEUMATIC TIRED, ROUGH TERRAIN, 6,000 POUND CAPACITY AT 24 INCH LOAD CENTER [CUST: AT]	A 3930	AT		18-SEP-98
M	MIL-R-40080C NOT 3	RAMP, LOADING, VEHICLE, PORTABLE, FOUR SECTION 12,000-POUND CAPACITY [CUST: AT] [REVIEW: DP]	A 3990	AT		18-SEP-98
M	MIL-R-52899B NOT 3	RAMP: LOADING VEHICLE [CUST: AT] [REVIEW: GS]	A 3990	AT		18-SEP-98
M	MIL-W-52960A NOT 1	WATER PURIFICATION UNIT, REVERSE OSMOSIS, 600 GPH [CUST: AT YD2 99] [REVIEW: MD]	A 4610	AT		30-SEP-98
M	MIL-W-53122 NOT 1	WATER PURIFICATION UNIT REVERSE OSMOSIS, 3,000 GPH [CUST: AT]	A 4610	AT		30-SEP-98
M	MIL-C-43044C NOT 1	CONTROL, PRESSURE, FILLING, NONVENTED DRUM [CUST: AT MC 69] [REVIEW: 71 99 GL MD]	A 4930	AT		25-SEP-98
M	MIL-C-62D(3) SUP 1 NOT 1	CAPACITORS, FIXED ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED), GENERAL SPECIFICATION FOR [CUST: CR EC 85] [REVIEW: 19 99 AR AS MC OS]	A 5910	CC		07-OCT-98
M	MIL-C-62/1B(3) NOT 2	CAPACITORS, FIXED ELECTROLYTIC (DC, ALUMINUM, DRY ELECTROLYTE, POLARIZED) STYLES CE10 AND CE11 [CUST: CR EC 85] [REVIEW: 17 19 99 AS AT AV CR4 MC MI OS]	A 5910	CC		08-OCT-98
M	MIL-C-81703 SUP 1A NOT 1	CONNECTOR, ELECTRIC, CIRCULAR, MINIATURE, RACK AND PANEL OR PUSH-PULL COUPLING, ENVIRONMENT RESISTING (FUTURE DESIGN SHOULD REFER TO SAE-AS81703) [CUST: AS] [REVIEW: CC EC]	A 5935	AS		30-SEP-98
M	MIL-M-38510/61B(2) NOT 1	MICROCIRCUITS, DIGITAL, ECL, FLIP-FLOPS, MONOLITHIC SILICON [CUST: CR EC 17 CC] [REVIEW: 19 85 99 AR AS CG MC MI OS SH SM]	A 5962	CC		24-SEP-98
M	MIL-M-81531 NOT 1	MARKING OF ELECTRICAL INSULATING MATERIALS (FUTURE DESIGN SHOULD REFER TO SAE-AS81531) [CUST: AS] [REVIEW: EA IS MI]	A 6145	AS		30-SEP-98
M	MIL-W-81822/1A(1) NOT 1	WIRE, ELECTRICAL, SOLDERLESS WRAP, POLYETHYLENE TEREPHTHALATE - POLYESTER LAMINATED TAPE INSULATION, SILVER COATED SOLID CONDUCTOR (FUTURE DESIGN SHOULD REFER TO SAE-AS81822/1) [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH]	A 6145	AS		30-SEP-98
M	MIL-W-81822/3A(1) NOT 1	WIRE, ELECTRICAL, SOLDERLESS WRAP, EXTRUDED POLYVINYLIDENE FLUORIDE (PVDF) INSULATION, SILVER COATED SOLID CONDUCTOR (FUTURE DESIGN SHOULD REFER TO SAE-AS81822/3) [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH]	A 6145	AS		30-SEP-98
M	MIL-W-81822/5A(1) NOT 1	WIRE, ELECTRICAL, SOLDERLESS WRAP, FLUOROCARBON POLYIMIDE TAPE AND POLYTETRAFLUOROETHYLENE (PTFE) INSULATION, SILVER COATED SOLID CONDUCTOR (FUTURE DESIGN SHOULD REFER TO SAE-AS81822/5) [CUST: CR AS 85] [REVIEW: 17 99 CC EC IS MC SH]	A 6145	AS		30-SEP-98
M	MIL-C-52947B NOT 1	COAGULANT, WATER TREATMENT: POLYELECTROLYTE, CATIONIC, LIQUID [CUST: AT] [REVIEW: GS]	A 6810	AT		30-SEP-98
M	MIL-S-53021A NOT 1	STABILIZER ADDITIVE, DIESEL FUEL [CUST: AT YD2 68] [REVIEW: AS AV GL GS MC PS SH SM]	A 6850	AT		25-SEP-98
M	MIL-D-23119G NOT 1	DRUMS, FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY [CUST: AT SA 11] [REVIEW: 99 GS MC]	A 8110	AT		25-SEP-98
M	MIL-T-40627B NOT 1	TIEDOWN ASSEMBLY, CHAIN TYPE, FOR DRUM(S), FABRIC, COLLAPSIBLE, LIQUID FUEL, CYLINDRICAL, 500-GALLON CAPACITY [CUST: AT MC 69] [REVIEW: GS MT]	A 8110	AT		25-SEP-98
M	MIL-Y-40628D NOT 1	YOKE, TOWING AND LIFTING, FOR DRUMS, FABRIC, COLLAPSIBLE [CUST: AT MC 69] [REVIEW: 99 GL GS]	A 8110	AT		25-SEP-98
M	MIL-D-43699C NOT 1	DRUMS, FABRIC, COLLAPSIBLE, (DRINKING WATER, 55-, 250- & 500 GALLON CAPACITIES) [CUST: AT SA 69] [REVIEW: 99 GL GS MC MD]	A 8110	AT		25-SEP-98
M	MIL-P-43700C(1) NOT 1	PONCHO, WET WEATHER [CUST: GL NU 99 CT]	A 8405	CT		06-OCT-98
M	MIL-M-41837D NOT 1	MAINTENANCE KIT, TOXICOLOGICAL AGENTS PROTECTIVE CLOTHING [CUST: GL NU 99 CT]	A 8415	CT		06-OCT-98
M	MIL-C-44356A NOT 1	COAT AND TROUSERS, CHEMICAL PROTECTIVE, AIRCREW, FLAME RESISTANT [CUST: GL NU CT]	A 8415	CT		06-OCT-98
M	MIL-S-44384(1) NOT 1	SUIT, CONTAMINATION AVOIDANCE, LIQUID PROTECTION (SCALP) [CUST: GL NU CT]	A 8415	CT		01-OCT-98
M	MIL-DTL-14649/4A	ROSETTE, DISTINGUISHED PUBLIC SERVICE AWARD, OFFICE OF SECRETARY OF DEFENSE [CUST: IH] [REVIEW: CT]	A 8455	IH		16-SEP-98
M	MIL-H-53119(1) NOT 1	HYDRAULIC FLUID, NONFLAMMABLE, CHLOROTRIFLUOROETHYLENE BASE [CUST: AT 11] [REVIEW: 68 GS MD SM]	A 9150	AT		11-SEP-98
M	MIL-W-5088L(1) NOT 1	WIRING, AEROSPACE VEHICLE (FUTURE DESIGN SHOULD REFER TO SAE-AS50881) [CUST: CR AS 85] [REVIEW: 11 17 19 99 AV CR4]	A GDRQ	AS		30-SEP-98

Doc ID	Document Number	Document Title	Distribution FSC/NSA	MCA Prep Acty	Date
M	MIL-M-18012B(3) NOT 1	MARKINGS FOR AIRCREW STATION DISPLAYS DESIGN AND CONFIGURATION OF (S/S BY SAE-AS18012) [CUST: AV AS 11] [REVIEW: EC MI]	A 15GP	AS	02-SEP-98
M	MIL-H-8775D(1) NOT 1	HYDRAULIC SYSTEM COMPONENTS, AIRCRAFT AND MISSILES GENERAL SPECIFICATION FOR (S/S BY SAE-AS8775) [CUST: AV AS 99]	A 1650	AS	28-SEP-98
M	MIL-S-3785E NOT 1	STARTERS, ENGINE, ELECTRICAL: 24-VOLT DIRECT-CURRENT (S/S BY A-A-59294) [CUST: AT] [REVIEW: CC CR4]	A 2920	AT	24-SEP-98
M	MS53011E NOT 4	STARTER, ENGINE, ELECTRICAL, 24-VOLT, D.C., 5-1/8 INCH FRAME DIAMETER, SOLENOID, ACTUATED, HEAVY-DUTY, LONG FRAME (S/S BY A-A-59294) [CUST: AT] [REVIEW: CC]	A 2920	AT	24-SEP-98
M	QPL-3785-13 NOT 1	STARTER, ENGINE, ELECTRICAL: 24-VOLT DIRECT CURRENT	A 2920	AT	24-SEP-98
M	MS20218B NOT 2	BEARING, BALL, ANTI-FRICTION, AIRFRAME (S/S BY SAE-AS20218) [CUST: AT AS 99]	A 3110	AS	24-AUG-98
M	MS21154F NOT 1	BEARING, PLAIN, SELF-ALIGNING, GROOVED OUTER RING (S/S BY SAE-AS21154) [CUST: AV AS 99 IS]	A 3120	AS	02-SEP-98
M	MIL-B-20148D(1) NOT 1	BRAZING SHEET, ALUMINUM ALLOY (S/S BY SAE-AMS-B-20148) [CUST: MR AS 11] [REVIEW: AR AV CR4 EA]	A 3439	AS	21-SEP-98
M	A-A-50312 NOT 1	SHEARING MACHINE, THROATLESS, HAND LEVER (NO S/S DOCUMENT) [CUST: AL GS] [REVIEW: CR4]	A 3445	GS	09-OCT-98
M	MIL-C-52570 NOT 1	CUTTING EDGE, SCRAPER (NO S/S DOCUMENT) [CUST: 99] [REVIEW: 82 84 AT]	A 3805	CC	16-OCT-98
M	MIL-S-28566C NOT 1	SWEEPER, ROTARY, TOWED, COMMERCIAL, BLOWER TYPE (NO S/S DOCUMENT) [CUST: YD2 99 CC]	A 3825	CC	16-OCT-98
M	MS39103D NOT 1	CUTTING EDGE MOLDBOARD, DOZER (NO S/S DOCUMENT) [CUST: AT 99 CC]	A 3830	CC	16-OCT-98
M	MIL-C-3776A NOT 2	CABLE LASHING MACHINE LC-2310 (NO S/S DOCUMENT) [CUST: CR YD2 99] [REVIEW: CC MI]	A 3895	CR	22-SEP-98
M	MIL-R-13442C NOT 2	REELING MACHINE, CABLE, HAND, ADJUSTABLE AND COLLAPSIBLE (NO S/S DOCUMENT) [CUST: CR 99] [REVIEW: CC CE CR4]	A 3895	CR	22-SEP-98
M	A-A-50468A NOT 1	GATE, BLAST, LOW PRESSURE, SHEET METAL PIPE SYSTEMS (NO S/S DOCUMENT) [CUST: YD2] [REVIEW: CC]	A 4460	YD2	01-SEP-98
M	MIL-W-52492D NOT 1	WATER PURIFICATION UNIT, ELECTRIC MOTOR DRIVEN, ERDLATOR TYPE CLARIFIER, DIATOMITE TYPE FILTER, BASE MOUNTED, 3,000 GPH (NO S/S DOCUMENT) [CUST: AT YD2 99] [REVIEW: CR MD]	A 4610	AT	30-SEP-98
M	MIL-C-27487G SUP 1 NOT 2	COUPLING HALVES, QUICK-DISCONNECT, CAM-LOCKING TYPE (S/S BY A-A-59326) [CUST: AT YD1 99] [REVIEW: 82 AV CC GL MC]	A 4730	AT	25-SEP-98
M	MS27019G NOT 2	COUPLING ASSEMBLY, QUICK DISCONNECT, CAM-LOCKING TYPE (S/S BY A-A-59326) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC SH]	A 4730	AT	25-SEP-98
M	MS27020E NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL PIPE THREAD, TYPE I (S/S BY A-A-59326/1) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27021E NOT 2	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE (S/S BY A-A-59326/2) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27022E NOT 1	COUPLING HALF, QUICK DISCONNECT CAM-LOCKING TYPE, MALE EXTERNAL PIPE THREAD, TYPE III (S/S BY A-A-59326/3) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27023E NOT 2	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, FLANGED, TYPE IV (S/S BY A-A-59326/4) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27024E NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, INTERNAL PIPE THREAD, TYPE V (S/S BY A-A-59326/5) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27025F NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, HOSE SHANK, TYPE VI (S/S BY A-A-59326/6) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27026E NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL PIPE THREAD, TYPE VII (S/S BY A-A-59326/7) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27027F NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, FLANGED, TYPE VIII (S/S BY A-A-59326/8) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27028F NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, CAP, DUST, TYPE IX (S/S BY A-A-59326/10) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS27029E NOT 2	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, PLUG, DUST, TYPE X (S/S BY A-A-59326/11) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS39336C NOT 3	Y CONNECTION, QUICK DISCONNECT, CAM-LOCKING TYPE, FLANGE, TYPE XX (S/S BY A-A-59326/20) [CUST: AT YD2 99] [REVIEW: 82 AV CS GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS39352D NOT 1	ADAPTER MALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE, TYPE XXI (S/S BY A-A-59326/21) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS49000E NOT 1	REDUCER, MALE BY FEMALE AND FEMALE BY MALE QUICK DISCONNECT, CAM-LOCKING TYPE XI (S/S BY A-A-59326/12) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS49001D NOT 1	REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE MALE, TYPE XII (S/S BY A-A-59326/13) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS49002E NOT 1	REDUCER, EXTERNAL PIPE THREAD BY QUICK DISCONNECT, CAM-LOCKING TYPE FEMALE, TYPE XIII (S/S BY A-A-59326/14) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS70088B NOT 2	ADAPTER, 45 DEG., FEMALE THREAD SWIVEL COLLAR, QUICK DISCONNECT, CAM LOCKING, MALE (TANK) (S/S BY A-A-59326/15) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS70091D NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM LOCKING TYPE, FEMALE, FLANGED, TYPE VIII, (FOR D-1 NOZZLE-AIRCRAFT) (S/S BY A-A-59326/9) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS70095D NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, MALE, INTERNAL STRAIGHT THREADS, TYPE XVII (FOR USE WITH NATO EQUIPMENT) (S/S BY A-A-59326/17) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS70096D NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE, EXTERNAL STRAIGHT THREADS, TYPE XVI (FOR USE WITH NATO EQUIPMENT) (S/S BY A-A-59326/16) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS70097D NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, FEMALE REDUCER (INTERNAL PIPE THREAD) TYPE XVIII (S/S BY A-A-59326/18) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MS70100D NOT 1	COUPLING HALF, QUICK DISCONNECT, CAM-LOCKING TYPE, NIPPLE ADAPTER, MALE BY EXTERNAL GROOVED PIPE, TYPE XIX (S/S BY A-A-59326/19) [CUST: AT YD2 99] [REVIEW: 82 AV CC GL MC MI SH]	A 4730	AT	25-SEP-98
M	MIL-R-87259 NOT 1	REPAIR SET, AIRCRAFT A/E24M-41 (NO S/S DOCUMENT) [CUST: 11] [REVIEW: 80 99]	A 4920	11	30-SEP-98
M	MIL-S-49442 NOT 2	SHOP EQUIPMENT, BATTERY SERVICING, SHELTER MOUNTED AN/TSM-133 (NO S/S DOCUMENT) [CUST: CR] [REVIEW: CC]	A 4940	CR	17-SEP-98
M	MIL-S-55316A NOT 2	SHELTER, ELECTRICAL, EQUIPMENT S-4870(1)TSM-55(V) (NO S/S DOCUMENT) [CUST: CR] [REVIEW: CC]	A 4940	CR	17-SEP-98
M	MS15981D NOT 2	FASTENERS, EXTERNALLY THREADED, SELF-LOCKING, DESIGN AND USAGE LIMITATIONS FOR (S/S BY NASM15981) [CUST: AS 99] [REVIEW: 82 IS MI]	A 5305	AS	27-AUG-98
M	MS124731THRUMS124770D NOT 3	INSERT, CRES HELICAL COIL FINE THREAD, 2 DIA NOMINAL LENGTH (S/S BY NASM124731THRU124770) [CUST: AV AS 99 IS]	A 5325	IS	07-OCT-98
M	MS9230C NOT 1	BRACKET, ANGLE, 90 DEG., 190 X 312 BOLT (S/S BY SAE-AS9230) [CUST: AR AS 82] [REVIEW: IS]	A 5340	AS	28-SEP-98
M	MS21132A NOT 1	WRENCHING ELEMENT, EXTERNAL HEXAGON, FOR THREAD FASTENERS (S/S BY NASM21132) [CUST: AV AS 11] [REVIEW: 82 AR AT CR4 IS MI OS SH]	A 53GP	AS	30-JUN-98
M	MS33781B NOT 1	RECESS, OFFSET CRUCIFORM, DIMENSIONS OF RECESS, GAGE AND DRIVER FOR (S/S BY NASM33781) [CUST: AV AS 99] [REVIEW: 82 IS]	A 53GP	AS	30-JUN-98
M	MIL-R-55054A(3) NOT 3	RECEIVER, RADIO R-3920/URR (NO S/S DOCUMENT) [CUST: CR] [REVIEW: MI]	A 5820	CR	17-SEP-98



Doc. Action	Document Number	Document Title	Distribution FSC/Area	MCA	Prep. Acty.	Date
M	MS28902A NOT 1	CONTACT, ELECTRICAL, LEAF TAP FOR USE WITH MIL-R-8903 RESISTOR (ASG) (NO S/S DOCUMENT) [CUST: 85] [REVIEW: 99]	A 5905	CC		30-SEP-98
M	MS28927A NOT 1	CLAMP-RIM, CLENCHING FOR MIL-R-8903 RESISTOR (NO S/S DOCUMENT) [CUST: 85] [REVIEW: 99 MC]	A 5905	CC		30-SEP-98
M	MS28928A NOT 1	COUPLING, INSULATED, BUSHING SHAFT, FOR MIL-R-8903 RESISTOR (ASG) (NO S/S DOCUMENT) [CUST: 85] [REVIEW: 99 MC]	A 5905	CC		30-SEP-98
M	MS28931A NOT 1	CAP. PROTECTIVE, DUST AND MOISTURE SEAL FOR MIL-R-8903 RESISTOR (ASG) (NO S/S DOCUMENT) [CUST: 85] [REVIEW: 99 MC]	A 5905	CC		30-SEP-98
M	MIL-S-81824/1 NOT 1	SPLICE, ELECTRIC, PERMANENT, CRIMP STYLE COPPER, INSULATED, ENVIRONMENT RESISTANT, CLASS 1 (S/S BY SAE-AS81824/1) [CUST: CR AS 85] [REVIEW: 11 99 AR AV EC MC MI]	A 5940	AS		30-SEP-98
M	MIL-F-28675B NOT 3	FITTINGS, CONDUIT, EXPLOSION PROOF (COUPLINGS, SEALS, UNIONS, ELBOWS) (NO S/S DOCUMENT) [CUST: AT]	A 5975	AT		30-SEP-98
M	MIL-R-55223B NOT 2	REGULATOR, VOLTAGE CN-514( )/GRC (NO S/S DOCUMENT) [CUST: CR] [REVIEW: GS]	A 6110	CR		17-SEP-98
M	MIL-P-55151B(1) NOT 2	POWER SUPPLY PP-1104( )/G (NO S/S DOCUMENT) [CUST: CR] [REVIEW: GS]	A 6130	CR		17-SEP-98
M	MIL-C-55158B(1) NOT 2	CHARGER, BATTERY, PP-1659( )/GN (NO S/S DOCUMENT) [CUST: CR] [REVIEW: EA GS]	A 6130	CR		17-SEP-98
M	MIL-B-3067B(1) NOT 3	BRIDGE, RESISTANCE (RESISTANCE BRIDGE, ZM-4) (1U (ADDENDUM 1) ) (NO S/S DOCUMENT) [CUST: CR SH 99]	A 6625	CR		22-SEP-98
M	MIL-C-10479B NOT 2	CRYSTAL IMPEDANCE METER TS 683/TSM (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: EC]	A 6625	CR		22-SEP-98
M	MIL-W-11817C NOT 3	WATTMETER, TS-118( )/AP (NO S/S DOCUMENT) [CUST: CR 99] [REVIEW: 11 MI]	A 6625	CR		22-SEP-98
M	MIL-T-12333C NOT 3	TEST SET, CRYSTAL UNIT, QUARTZ TS-710/TSM (NO S/S DOCUMENT) [CUST: CR 99]	A 6625	CR		22-SEP-98
M	MIL-T-12424D NOT 3	TEST SET, ELECTRON TUBE TV-7 0/U (NO S/S DOCUMENT) [CUST: CR SH 99] [REVIEW: CC CR4 EC MI]	A 6625	CR		22-SEP-98
M	MIL-A-12636B NOT 3	ANALYZER ZM-3/U (NO S/S DOCUMENT) [CUST: CR AS 99] [REVIEW: CR4 MC MI]	A 6625	CR		22-SEP-98
M	MIL-T-12756A NOT 3	TEST SET, BATTERY TESTER TS-183( )/U (NO S/S DOCUMENT) [CUST: CR 99] [REVIEW: MI]	A 6625	CR		22-SEP-98
M	MIL-G-49155 NOT 2	GENERATOR, SIGNAL (NO S/S DOCUMENT) [CUST: CR] [REVIEW: MD]	A 6625	CR		17-SEP-98
M	MIL-M-49158 NOT 3	MEASURING SET, RADIO INTERFERENCE, GENERAL SPECIFICATION FOR (NO S/S DOCUMENT) [CUST: CR] [REVIEW: AR AT AV MD]	A 6625	CR		17-SEP-98
M	MIL-M-49158/3 NOT 2	MEASURING SET, RADIO INTERFERENCE AN/URM-199 (NO S/S DOCUMENT) [CUST: CR] [REVIEW: AR AT AV MD]	A 6625	CR		17-SEP-98
M	MIL-G-49193 NOT 3	GENERATOR, SIGNAL SG-1171/U (NO S/S DOCUMENT) [CUST: CR] [REVIEW: AL MD]	A 6625	CR		17-SEP-98
M	MIL-B-49194 NOT 2	BRIDGE, IMPEDANCE ZM-78/U (NO S/S DOCUMENT) [CUST: CR] [REVIEW: AL MD]	A 6625	CR		17-SEP-98
M	MIL-T-49200 NOT 3	TEST SET, RADIO, AN/USM-306( ) (NO S/S DOCUMENT) [CUST: CR] [REVIEW: MD]	A 6625	CR		17-SEP-98
M	MIL-G-55210 NOT 2	GENERATOR, THERMAL NOISE SG-419( )/U (NO S/S DOCUMENT) [CUST: CR]	A 6625	CR		17-SEP-98
M	MIL-S-55234 NOT 4	STANDING WAVE RATIO-POWER METER, ME-165( )/G (NO S/S DOCUMENT) [CUST: CR]	A 6625	CR		17-SEP-98
M	MIL-T-55431A NOT 1	TEST SET, BATTERY AN/PSM-13( ) (NO S/S DOCUMENT) [CUST: CR]	A 6625	CR		17-SEP-98
M	MIL-T-55523(1) NOT 3	TEST FIXTURE SETS, ELECTRONIC (NO S/S DOCUMENT) [CUST: CR]	A 6625	CR		17-SEP-98
M	MIL-T-55691 NOT 3	TEST SET, BATTERY AN/USM-63( )/U (NO S/S DOCUMENT) [CUST: CR 99] [REVIEW: AR CR4 MC OS]	A 6625	CR		22-SEP-98
M	MIL-C-538F NOT 1	COMPARATOR, COLOR (NO S/S DOCUMENT) [CUST: AT YD2 99] [REVIEW: MD]	A 6630	AT		29-SEP-98
M	MIL-I-536C NOT 1	INDICATOR SOLUTIONS, PH DETERMINATION (FOR WATER SUPPLY TESTING) (NO S/S DOCUMENT) [CUST: AT 68] [REVIEW: GS]	A 6810	AT		30-SEP-98
M	MIL-M-7866C(1) NOT 2	MOLYBDENUM DISULFIDE, TECHNICAL, LUBRICATION GRADE (S/S BY SAE-AMS-M-7866) [CUST: AR AS 68] [REVIEW: CR4 EA GS MI]	A 6810	AS		21-SEP-98
M	O-E-760D(2) NOT 3	ETHYL ALCOHOL (ETHANOL); DENATURED ALCOHOL; PROPRIETARY SOLVENTS AND SPECIAL INDUSTRIAL SOLVENTS (S/S BY A-A-59282, A-A-51693, A-A-53880) [CUST: GS FSS] [REVIEW: MD MI]	A 6810	GS		21-SEP-98
M	MIL-C-38736B NOT 2	CLEANING COMPOUND, SOLVENT MIXTURES (METRIC) (S/S BY A-A-59281) [CUST: 68]	A 6850	GS		14-OCT-98
M	MIL-T-21595D(2) NOT 1	TAPES, PRESSURE-SENSITIVE ADHESIVE, MASKING, NON-STAINING, FOR AIRCRAFT PAINTING APPLICATIONS (S/S BY SAE-AMS-T-21595) [CUST: MR AS 99] [REVIEW: AR EA MC]	A 7510	AS		21-SEP-98
M	MIL-M-43719/1A NOT 2	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; LETTERS AND NUMERALS (NO S/S DOCUMENT) [CUST: GL SA 99 GS] [REVIEW: 84 AT AV CR MC MD]	A 7690	GS		01-JUL-98
M	MIL-M-43719/2A NOT 2	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, LEGENDS (NO S/S DOCUMENT) [CUST: GL SA 99 GS] [REVIEW: 84 AT AV CR MC MD]	A 7690	GS		01-JUL-98
M	MIL-M-43719/3A NOT 2	MARKING MATERIALS AND MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED; SYMBOLS (NO S/S DOCUMENT) [CUST: GL SA 99 GS]	A 7690	GS		01-JUL-98
M	MIL-M-43719/4 NOT 2	MARKING MATERIALS & MARKERS, ADHESIVE, ELASTOMERIC, PIGMENTED, HAZARDOUS MATERIAL SYMBOLS (S/S BY NFPA704) [CUST: GL SA 99 GS] [REVIEW: 84 AT AV CR MC MD]	A 7690	GS		01-JUL-98
M	MIL-P-6888C NOT 2	POLISH, METAL, ALUMINUM (S/S BY A-A-59318) [CUST: GL AS 11] [REVIEW: 84 AV MD]	A 7930	AS		08-SEP-98
M	MIL-P-21600A NOT 1	PAINT SYSTEM, FLUORESCENT, REMOVABLE, FOR AIRCRAFT APPLICATION (S/S BY SAE-AMS-P-21600) [CUST: AV AS] [REVIEW: DS MI]	A 8010	AS		21-SEP-98
M	MIL-T-23397B(2) NOT 1	TAPE, PRESSURE-SENSITIVE ADHESIVE, FOR MASKING DURING PAINT STRIPPING OPERATIONS (S/S BY SAE-AMS-T-23397) [CUST: MR AS 99] [REVIEW: GL]	A 8010	AS		21-SEP-98
M	MIL-PRF-62218B NOT 1	CORROSION PREVENTIVE COMPOUNDS, COLD APPLICATION (FOR NEW AND FIELDED MOTOR VEHICLES AND TRAILERS) (S/S BY A-A-59295) [CUST: AT YD2 99] [REVIEW: 84 AR CR4 MR]	A 8030	AT		09-SEP-98
M	MIL-C-43410C NOT 1	CLOTH, COATED; POLYESTER/COTTON, POLYESTER/RAYON; POLYVINYL CHLORIDE OR POLYCHLOROPRENE COATED (NO S/S DOCUMENT) [CUST: GL NU 99 CT] [REVIEW: 45 50 82 MD YD2]	A 8305	CT		06-OCT-98
M	MIL-M-43120D NOT 1	MAINTENANCE KIT, ROCKET FUEL HANDLERS' CLOTHING (RESIN MODIFIED BUTYL RUBBER COATED) (NO S/S DOCUMENT) [CUST: GL 99 CT] [REVIEW: MD]	A 8415	CT		04-SEP-98
M	MIL-S-43013C NOT 2	SLING, UNIVERSAL, INDIVIDUAL LOAD CARRYING (NO S/S DOCUMENT) [CUST: GL MC 99 CT] [REVIEW: 45 82 MD]	A 8465	CT		04-SEP-98
M	MIL-S-43620B NOT 1	SUSPENSION ASSEMBLY, GROUND TROOPS HELMET LINER (NO S/S DOCUMENT) [CUST: GL MC 99 CT] [REVIEW: 45 82 MD]	A 8470	CT		03-SEP-98
M	MIL-R-46198(2) NOT 1	RESIN, POLYIMIDE, HOT PRESSED OR PRESSED AND SINTERED (S/S BY ASTM-PS93) [CUST: MR AS]	A 9330	MR		22-SEP-98
M	MIL-F-52637A(1) NOT 1	FILTER AIDS, WATER PURIFICATION (NO S/S DOCUMENT) [CUST: AT] [REVIEW: GS MD]	A 9390	AT		30-SEP-98
M	MIL-S-22698C(2) NOT 1	STEEL PLATE, SHAPES AND BARS, WELDABLE ORDINARY STRENGTH AND HIGHER STRENGTH: STRUCTURAL (NO S/S DOCUMENT) [CUST: SH]	A 9515	SH		08-SEP-98
M	MIL-C-9877B(2) NOT 2	CARDS, APERTURE (NO S/S DOCUMENT) [CUST: CR AS 16 GS] [REVIEW: 11 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AR AT AV CC CG CR4 DH EA EC GL IE IS MC MI NM OM OS SA SH TD YD2]	A EDRS	CR		17-SEP-98
M	MIL-C-9949(4) NOT 2	CARDS, COPY (NO S/S DOCUMENT) [CUST: CR AS 16 GS] [REVIEW: 11 13 18 19 24 30 69 70 71 79 80 82 84 85 89 99 AM AR AT AV CC CG CR4 DH EA EC GL IE IS MC MI NM OM OS SA SH TD YD2]	A EDRS	CR		17-SEP-98
M	MIL-T-81915(1) NOT 1	TITANIUM AND TITANIUM-ALLOY CASTINGS, INVESTMENT (S/S BY SAE-AMS-T-81915) [CUST: MR AS 11] [REVIEW: 99 AR AV CR4]	A MFCA	AS		21-SEP-98
M	MIL-C-81562B NOT 2	COATINGS, CADMIUM, TIN-CADMIUM AND ZINC (MECHANICALLY DEPOSITED) (S/S BY SAE-AMS-C-81562) [CUST: MR AS 11] [REVIEW: 70 71 80 82 84 99 AR AT AV CR4 MD MI OS SH]	A MHFP	AS		21-SEP-98
M	QQ-P-35C NOT 3	PASSIVATION TREATMENTS FOR CORROSION-RESISTANT STEEL (S/S BY ASTM-A967 OR SAE-AMS-QQ-P-35) [CUST: MR SH 11 IS] [REVIEW: 70 80 99 AR AS AV CR4 EA GL GS OS]	A MHFP	IS		17-SEP-98